

Central Depository Services (India) Limited

Convenient # Dependable # Secure COMMUNIQUÉ TO DEPOSITORY PARTICIPANTS

CDSL/OPS/DP/SYSTM/2023/119

February 22, 2023

CHANGE IN ACCOUNT OPENING FILE FORMATS

DPs are advised to refer to Communique no. CDSL/OPS/DP/POLCY/2022/147 dated March 15, 2022, wherein we have informed regarding the amendments to DP Operating Instructions based on revised SEBI letter no. MRD2/DDAP/OW/P/2021/8567/1 dated April 09, 2021, regarding Mode of Operation and vide Communique no. CDSL/OPS/DP/POLCY/2021/32 dated July 26, 2021, for Nomination for Eligible Demat Accounts.

DPs are advised to take note of the changes in file formats corresponding to the aforesaid SEBI circulars for necessary implementation in their back-office software.

Enclosed List of Annexures are as given below:

Sr. No.	Annexure	Description	
1	Annexure A	BO setup Upload	
2	Annexure B	BO modify upload	
3	Annexure C	DPB9 Client Master Report	
4	Annexure D	DPS8 Client Master Report	
5	Annexure E	DPS9 Client Master Report	

DPs are also informed that operational modalities and release date of the said functionality will be informed separately.

Queries regarding this communiqué may be addressed to: **CDSL – Helpdesk** Emails may be sent to: helpdesk@cdslindia.com and telephone numbers (022) 2305-8624, 2305-8639, 2305-8642, 2305-8663, 2305-8640, 2300-2041, 2300-2033 or 08069144800.

sd/-

Nilesh Shah Asst. Vice President – Operations

FILE FORMAT: BO SET UP UPLOAD

File Name: <08><DPID>.<3 to 5 digits running serial number>

Input Type: Mandatory / **O**ptional

Header Record: This record will contain:

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
DPID	NUMBER	6	М
OPERATOR ID	CHAR	6	М
TOTAL NO. OF RECORDS	NUMBER	5	М

Details Records: This record will contain following lines:

First Line

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
01	NUMBER	2	M (Line Number of the record)
SERIAL NO (Unique)	NUMBER	4	М
BO ID	NUMBER	16	0
BO REQUEST RECEIVE DATE	DATE	14	М

Second Line (First Account Holder):

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
02	NUMBER	2	M (Line Number of the record)
PRODUCT NUMBER	NUMBER	4	M
BO NAME	CHAR	100	M
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	M
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
FATHER / HUSBAND NAME	CHAR	50	0
CUST ADDR 1	CHAR	55	M
CUST ADDR 2	CHAR	55	0
CUST ADDR 3	CHAR	55	0
CUST ADDR CNTRY CODE	CHAR	02	M ISO 3166-1 alpha-2 Format
CUST ADDR ZIP	CHAR	10	M
CUST ADDR STATE CODE	CHAR	06	M Mandatory if Country code IN (India). Value to be in ISO 3166-2 Format
CUST ADDR STATE	CHAR	25	M Mandatory if Country code

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			other than IN Else will be
			ignored
CUST ADDR CITY	CHAR	25	M
			М
CITY SEQUENCE	NUMBER	2	If country code is IN then
NUMBER	-		mandatory. Default value will
			be 00
SMART REGISTRATION			O Y – SMART REGISTRATION
INDICATOR	CHAR	1	Blank – No SMART
INDICATOR			Registration
PRIMARY MOBILE NO			
ISD CODE	NUMBER	6	М
PRIMARY MOBILE NO	CHAR	17	M
			0
CECONDARY ICD CODE	NUMBED	6	MANDATORY IF SECONDARY
SECONDARY ISD CODE	NUMBER	6	MOBILE /PHONE ISD CODE
			PRESENT
			0
SECONDARY MOBILE /	CHAR	17	MANDATORY IF SECONDARY
PHONE	G. 17 c		MOBILE / PHONE ISD CODE
			PRESENT
CECOND A DV FAMATI	CHAR	100	0
SECONDARY EMAIL	CHAR	100	ONLY 1 EMAIL TO BE
CUST FAX	CHAR	17	ENTERED O
INCOME TAX PAN	CHAR	10	M
INCOME TAX FAIN	CHAR	10	O / M
UID	CHAR	16	Mandatory if UID verification
015	CHAR	10	flag is present
			0
LUID MEDIETOATION ELAC	CUAR		UID VERIFICATION FLAG
UID VERIFICATION FLAG	CHAR	1	0 – UID NOT VERIFIED
			2 – UID VERIFIED BY DP
			0
			Mandatory for POA Master
			Creation
			If POA Type Flag is 'C', then
			Purpose Code 21 details will
POA Type Flag	CHAR	1	be mandatory for CM POA.
			If POA Type Flag is 'R', then it
			will be considered as a Regular
			POA If POA Type Flag is 'P' then it
			If POA Type Flag is 'P', then it will be considered as a PMS
			will be considered as a PMS

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			POA If POA Type Flag is 'D', then it will be considered as a DDPI POA
FILLER1	CHAR	2	Should be blank space
IT CIRCLE	CHAR	15	0
PRIMARY EMAIL	CHAR	100	M ONLY 1 EMAIL SHOULD BE ENTERED
LEGAL ENTITY IDENTIFIER (LEI)	CHAR	20	<u>o</u>
USER TEXT 1	CHAR	<u>30</u>	0
USER TEXT 2	CHAR	50	0
USER FIELD 3	NUMBER	4	0
USER FIELD 4 (PAN Exemption Code)	CHAR	4	O 1st character — 1st Holder PAN Exemption Code 2nd character — 2nd Holder PAN Exemption Code 3rd character — 3rd Holder PAN Exemption Code Code
USER FIELD5 (PAN Verification Flag)	NUMBER 1st character — 1st Holder PAN Verification Code 2nd character — 2nd Holder PAN Verification Code 3rd character — 3rd Holder PAN Verification Code	4	M PAN Verification flag 4 – PAN Exempted 5 – PAN Verified & Aadhar linked as confirmed by DP.
SIGNATURE FILE FLAG	CHAR	1	O (Y/N)
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
BO Account Opening Source	CHAR	1	M 1 – Online Account opening by the BO 2 – Account Opening based on submission of Physical

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			documents.
FILLER	CHAR	9	Should be blank space

Third Line (Second Account holder):

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
03	NUMBER	2	M (Line Number of the record)
BO NAME	CHAR	100	M
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	M
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
FATHER / HUSBAND NAME	CHAR	50	0
INCOME TAX PAN	CHAR	10	М
UID	CHAR	16	O / M Mandatory if UID verification flag is present
UID Verification flag	CHAR	1	O UID verification flag 0 – UID Not Verified 2 – UID verified by DP
Filler	CHAR	2	O Special characters are not allowed
IT CIRCLE	CHAR	15	0
MOBILE ISD CODE	NUMBER	6	O / M MANDATORY IF MOBILE PRESENT
MOBILE NUMBER	CHAR	17	O MANDATORY IF MOBILE ISD CODE PRESENT Mandatory if communication preference is all holders
EMAIL	CHAR	100	O ONLY 1 EMAIL SHOULD BE ENTERED Mandatory if communication preference is all holders
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	Should be blank space

Fourth Line (Third Account Holder)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
04	NUMBER	2	M (Line Number of the record)
BO NAME	CHAR	100	М
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	М
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
HLDR FATHER HUSBAND NAME	CHAR	50	0
INCOME TAX PAN	CHAR	10	М
UID	CHAR	16	O / M Mandatory if UID verification flag is present
UID Verification flag	CHAR	1	O UID verification flag 0 – UID Not Verified 2 – UID verified by DP
Filler	CHAR	2	O Special characters are not allowed
IT CIRCLE	CHAR	15	0
MOBILE ISD CODE	NUMBER	6	O / M MANDATORY IF MOBILE NO PRESENT
MOBILE NUMBER	CHAR	17	O MANDATORY IF MOBILE ISD CODE PRESENT Mandatory if communication preference is all holders
EMAIL	CHAR	100	O ONLY 1 EMAIL SHOULD BE ENTERED Mandatory if communication preference is all holders
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	Should be blank space

Fifth Line (Product Details):

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
05	NUMBER	2	M (LINE NUMBER OF THE RECORD)
DATE OF MATURITY	DATE	DATE	0

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
DP INTERNAL REF	CHAR	10	M
NUMBER	CHAR	10	<u>"</u>
DATE OF BIRTH/ORIGIN	DATE	DATE	0
SEX CODE	CHAR	1	O (FEMALE/MALE)
OCCUPATION	CHAR	4	0
LIFE STYLE	CHAR	4	0
GEOGRAPHICAL CODE	CHAR	4	0
EDUCATION/DEGREE	CHAR	4	0
ANNUAL INCOME CODE	NUMBER	4	М
NATIONALITY CODE	CHAR	3	0
LEGAL STATUS CODE	NUMBER	2	0
BO FEE TYPE	NUMBER	2	0
LANGUAGE CODE	NUMBER	2	0
CATEGORY 4 CODE	NUMBER	2	0
BANK OPTION 5	NUMBER	2	0
STAFF / RELATIVE	CHAR	1	O (STAFF/RELATIVE/NONE)
STAFF CODE	CHAR	10	0
NOMINATION OPT-OUT	CHAR	1	O / M Y - YES N - NO Mandatory for individual accounts.
25 BYTE ALPHANUMERIC CODE 1 USER TEXT 1	CHAR	<u>37</u>	0
BONAFIDE FLAG	CHAR	1	O VALUES CAN BE 'P' – Physical OR 'E' – Electronic (Easi Easiest) OR 'A' – Online A/c Opening through DP portal
FAMILY ACCOUNT FLAG	CHAR	1	O (Y /N) By default it will be 'N'
EMAIL STATEMENT FLAG	CHAR	1	O (Y/N) IF EMAIL STATEMENT FLAG IS Y, FIRST HOLDER EMAIL IS MANDATORY BY DEFAULT IT WILL BE 'N'
CAS MODE	CHAR	2	O NO: CAS NOT REQUIRED PH: PHYSICAL CAS REQUIRED
MENTAL DISABILITY	CHAR	1	O (Y/N) IF MENTAL DISABILITY IS Y , GUARDIAN DETAILS IS MANDATORY

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			BY DEFAULT IT WILL BE 'N'
FILLER 1	CHAR	1	O Should be blank space
RGESS FLAG	CHAR	1	O
ANNUAL REPORT FLAG	CHAR	1	0
PLEDGE STANDING			
INSTRUCTION FLAG	CHAR	1	0
EMAIL RTA DOWNLOAD FLAG	CHAR	1	0
BSDA FLAG	CHAR	1	O Y: BSDA N: Non BSDA O: Opted Out (IF NO VALUE ENTERED, THEN DEFAULT VALUE SHALL BE 'N')
FILLER	CHAR	50	0
MODE OF OPERATION	NUMBER	4	M Possible values: O - Sole Holder 1 - Jointly 2 - Anyone or Survivor
COMMUNICATION PREFERENCE	NUMBER	4	O / M Mandatory for a/cs with Joint holders 1 — First Holder 2 — All Holders
NUMERIC 4 (DUMMY)	NUMBER	4	0
SECURITY ACCESS CODE	NUMBER	2	0
BO CATEGORY	NUMBER	2	M
BO SETTLEMENT PLANNING FLAG	CHAR	1	М
DIVIDEND BANK IFSC CODE	CHAR	15	0
RBI REFERENCE NUMBER	CHAR	30	0
RBI APPROVAL DATE	DATE	DATE	0
SEBI REGISTRATION NUMBER	CHAR	24	0
BENEFICIARY TAX DEDUCTION STATUS	NUMBER	2	0
SMART CARD REQUIRED	CHAR	1	O (Y /N)
SMART CARD NUMBER	CHAR	20	0
SMART CARD PIN	NUMBER	10	0
ECS/MANDATE	CHAR	1	0
ELECTRONIC CONFIRMATION	CHAR	1	O (Y /N)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
DIVIDEND CURRENCY	NUMBER	6	0
GROUP CODE	CHAR	8	0
BO SUB STATUS	NUMBER	4	M
CLEARING CORPORATION ID	NUMBER	4	0
CLEARING MEMBER ID	CHAR	8	0
STOCK EXCHANGE	NUMBER	2	0
CONFIRMATION WAIVED	CHAR	1	0
TRADING ID	CHAR	8	0
BO STATEMENT CYCLE CODE	CHAR	2	М
CUSTODIAN / PMS EMAIL ID	CHAR	50	O ONLY 1 EMAIL SHOULD BE ENTERED
DIVND BANK ACCT TYPE	CHAR	12	M
DIVND BANK CODE	CHAR	12	M
DIVND ACCT NUMB	CHAR	20	M
DIVND BANK CCY	NUMBER	6	M

Annual Report Flag can have following values:

1	Physical Annual Report
2	Electronic Annual Report
3	Both Physical and Electronic Annual Report

Sixth Line (POA Link details):

Separate line to link POA for each holder with purpose code 0001, 0002, 0003 or single line to link POA for all holders with purpose code 0004.

This line can be repeated multiple times as 1st, 2nd and 3rd Holders can have multiple POA's.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
06	NUMBER	2	M (LINE NUMBER OF THE RECORD)
POA ID (POA REGISTRATION NO.)	CHAR	16	М
SETUP DATE	DATE	DATE	M
POA TO OPERATE A/C	CHAR	1	O(Y/N)
GPA/BPA FLAG	CHAR	1	M B – Bank Specific G – General purpose S – Settlement P – Margin Pledge M – Mutual Fund T – Tender Offer
EFFECTIVE FROM DATE	DATE	DATE	M

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
EFFECTIVE TO DATE	DATE	DATE	0
USER FIELD 1	NUMBER	4	0
USER FIELD 2	NUMBER	4	0
CA CHARFLD	CHAD	Ε0.	0
(REMARK)	CHAR	50	0
FILLER 1	CHAR	100	0
FILLER 2	CHAR	20	0
FILLER 3	CHAR	20	0
FILLER 4	CHAR	10	0
FILLER 5	CHAR	10	0
FILLER 6	CHAR	50	0
FILLER 7	CHAR	30	0
FILLER 8	CHAR	30	0
FILLER 9	CHAR	30	0
FILLER 10	CHAR	25	0
FILLER 11	CHAR	25	0
FILLER 12	CHAR	25	0
FILLER 13	CHAR	10	0
FILLER 14	CHAR	1	0
FILLER 15	CHAR	17	0
FILLER 16	CHAR	1	0
FILLER 17	CHAR	17	0
FILLER 18	CHAR	100	0
FILLER 19	CHAR	17	0
FILLER 20	CHAR	10	0
FILLER 21	CHAR	15	0
FILLER 22	CHAR	15	0
FILLER 23	CHAR	50	0
USER TEXT 1			
POA Master ID (16	CHAR	50	M
digit)			
FILLER 24	CHAR	50	0
USER FIELD 3			
(POA LINK PURPOSE	NUMBER	4	M
CODE)			
FILLER 25	NUMBER	4	0
FILLER 26	NUMBER	4	0
FILLER 27	CHAR	1	0

Seventh Line is for Permanent Address Details purpose code should be 12

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N = 7	NUMBER	2	M (LINE NUMBER OF THE RECORD)
PURPOSE CODE (12)	NUMBER	2	M

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
BO NAME	CHAR	100	M
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	M
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
FATHER / HUSBAND NAME	CHAR	50	0
CUST ADDR 1	CHAR	55	M
CUST ADDR 2	CHAR	55	0
CUST ADDR 3	CHAR	55	0
CUST ADDR CNTRY CODE	CHAR	02	M ISO 3166-1 alpha-2 Format
CUST ADDR ZIP	CHAR	10	M
COST ADDIT ZIF	CHAR	10	M
CUST ADDR STATE CODE	CHAR	06	Mandatory if Country code IN (India). Value to be in ISO 3166-2 Format
CUST ADDR STATE	CHAR	25	M Mandatory if Country code other than IN Else will be ignored
CUST ADDR CITY	CHAR	25	M
CITY SEQUENCE NUMBER	NUMBER	2	M If country code is IN then mandatory. Default value will be 00
FAX	CHAR	17	0
INCOME TAX PAN	CHAR	25	0
IT CIRCLE	CHAR	15	0
USER TEXT 1	CHAR	50	0
USER TEXT 2	CHAR	50	0
USER FIELD 3	NUMBER	4	0
USER FIELD 4	NUMBER	4	0
USER FIELD 5	NUMBER	4	0
FILLER	CHAR	100	O (It should be blank space)

Eight line onwards lines can be added to enter Additional Name and Address for following purpose codes

- Purpose Code 06 Nominee Name and address
- Purpose Code 07 Guardian Name and address
- Purpose Code 08 Nominee's Guardian Name and address
- Purpose Code 18 Authorized Signatory
- Purpose Code 23 PMS Manager Details (Mandatory for PMS Client account)

This line is mandatory for Corporate / HUF / Bank / FI / Trust type of accounts.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE RECORD)
PURPOSE CODE	NUMBER	2	M
BO NAME	CHAR	100	M
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	M
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
FATHER HUSBAND NAME	CHAR	50	0
CUST ADDR 1	CHAR	55	M
CUST ADDR 2	CHAR	55	0
CUST ADDR 3	CHAR	55	0
CUST ADDR CNTRY CODE	CHAR	02	M ISO 3166-1 alpha-2 Format
CUST ADDR ZIP	CHAR	10	M
CUST ADDR STATE CODE	CHAR	06	M Mandatory if Country code IN (India). Value to be in ISO 3166-2 Format
CUST ADDR STATE	CHAR	25	M Mandatory if Country code other than IN Else will be ignored
CUST ADDR CITY	CHAR	25	М
CITY SEQUENCE NUMBER	NUMBER	2	M If country code is IN then mandatory. Default value will be 00
PRIMARY MOBILE NO ISD CODE	NUMBER	6	O / M MANDATORY IF PRIMARY MOBILE NO PRESENT
PRIMARY MOBILE NO	CHAR	17	O / M MANDATORY IF PRIMARY MOBILE NO ISD CODE PRESENT
DATE OF BIRTH	DATE	DATE	0
FAX	CHAR	17	0
INCOME TAX PAN	CHAR	10	0
UID	CHAR	16	O / M Mandatory if UID verification flag is present
UID Verification flag	CHAR	1	O For purpose code 18 UID verification flag

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			0 – UID Not Verified
			2 – UID verified by DP
IT CIRCLE	CHAR	15	0
E-MAIL	CHAR	100	0
USER TEXT 1	CHAR	50	0
	AS REMARKS	AS REMARKS	Authorized Signatory Remarks
USER TEXT 2	CHAR	50 12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES	O 12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES
USER FIELD 3	NUMBER	4	0
USER FIELD 4	NUMBER	4	0
USER FIELD5	NUMBER	4	0
NOMINEE SERIAL NUMBER	NUMBER	2	M (For Purpose code 6 and 8) Values: 01– First nominee 02 – Second Nominee 03 – Third Nominee O – Other than Purpose code 6 & 8
RELATIONSHIP WITH BO	NUMBER	2	M (For Purpose code 6,7,8) O – other than Purpose code 6,7,8 Values can Be: 01 – Spouse 02 – Son 03 – Daughter 04 – Father 05 – Mother 06 – Brother 07 – Sister 08 – Grand-Son 09 – Grand-Daughter 10 – Grand-Father 11 – Grand-Mother 12 – Not Provided (if the relationship is not provided on nomination form) 13 – Others
PERCENTAGE OF SHARES	NUMBER	(5,2)	M (For Purpose code 6)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			O – Optional for other than
			Purpose code 6 with default
			value "00000"
			The file should have value like
			10000(100%), 09725(97.25%),
			05000(50%) etc
			M (For Purpose code 6)
			Values:
RESIDUAL SECURITIES			Y- Yes
FLAG	CHAR	1	N- No
TLAG			Default value is "N"
			O (For Purpose code 7,8,18- it
			should be space)
FILLER	CHAR	16	0
FILLER	CHAR	10	Should be blank space
FILLER	CHAR	72	0
TILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	0
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	0
TILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	0
TILLEN	CHAR	10	Should be blank space

The following line is added to the File format for Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE
		_	RECORD)
PURPOSE CODE 21 Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.	NUMBER	2	М
MAPPING UNMAPPING FLAG	NUMBER	1	M 1 - MAP 3 - MAP ALL CM ACCOUNTS
EX ID	NUMBER	2	0
CM ID	CHAR	8	0
CM Account To Be Mapped	CHAR	16	O Mandatory if MAPPING UNMAPPING FLAG = 1

The following line is added for capturing BO-UCC Link (Unique Client Code) details.

FIELD DESCRIPTION FIELD TYPE	FIELD SIZE	INPUT TYPE
------------------------------	------------	------------

N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE RECORD)
PURPOSE CODE 22 BO-UCC Link Details	NUMBER	2	М
BO-UCC Link Add/Delete Flag	CHAR	1	M (A – Add Only allowed)
Consent Flag	NUMBER	2	M 1 – BO - UCC Linking will be done only for the BOID setup in this upload file 2 – BO - UCC Linking will be done for all BO accounts with same 1st Holder PAN
Exchange ID	Number	2	М
UCC (Unique Client Code)	CHAR	11	М
Segment Code (Settlement type code)	CHAR	2	М
CM ID (Clearing Member Code)	CHAR	8	М
TM Code (Trading Member Code)	CHAR	8	М

NOTES:

- No field separators should be used.
- Spaces should be used in case if a field does not have a value.
- All numeric fields should be right justified with zero padding.
- All alphanumeric fields should be left justified with padding as spaces.
- For BO setup, every detail record will contain the following lines. If a line contains no data, then that line will not be written. Line numbers 01, 02, 05 and 07 are mandatory.
- For POA setup, every detail record mandatory Line Numbers are 01,02,05 only
- For PAN verification flag value needs to be 5 i.e. PAN Verified & Aadhaar linked as confirmed by DP
 - For Only first Holder 5000
 - For first and second holder 5500
 - For All Holders 5550
 - For second and third Holder 0550
- For Minor account
 - Guardian details are mandatory
 - Minor account should have only first holder
- For Mantra Accounts

- POA link for all holder details are mandatory
- In 06 line for POA link details, effective to date should be '0000000'
- POA Link Details
 - Purpose code for POA link are -
 - 0001 for First Holder
 - 0002 for Second Holder
 - 0003 for Third Holder
 - 0004 for All Holders
 - 16 Digit POA Master ID will be entered in User text 1 field
 - Purpose code specify in user field 3
- Product Details
 - ECS/Mandate flag is 'Y' then must specify correct Dividend bank details.
- The additional name and address record line is not mandatory except for Corporate / HUF / CM / Minor and there can be one or more additional lines.
- For Authorized signatory, in BO name specify Authorized signatory Name and in User Text 1 specify remarks. Other Field details not required for Authorized signatory.
- Authorized signatory details mandatory for Corporate / HUF type of accounts / CM
- Signature File Details
- If Signature file flag is 'N' then signature file is not required. If the signature flag is 'Y', then the signature file should be present in same folder. The signature file in image file extension can be -*.jpg / *.gif / *.tif / *.jpeg / *.tiff / *.pic / *.pnj / *.png
- The naming convention of signature file should be as below:
 - b + file extension + serial number + IMAGE FILENAME. file extension
 - For BO bxxxyyyyfilename.jpg
 - Where xxx is 3-digit file extension
 - yyyy is 4-digit serial number of the Bo record.
 - e.g., DP is uploading file with 2 signatures with filename as 08010601.0123 and signature flag is 'Y' in second line (first account holder details of the first record), then naming convention for signature will be as follows:
 - b0123<0001><filename1><image Filename>.jpg (or any valid extension)
 - b0123<0001><filename2>><image Filename>.jpg (or any valid extension)
- the signature image file should exist in the same path where the data file exists.
- the name of the folder in which files exist should be a single word without any spaces and folder name length should be less than or equal to '8'.
- The name of the folder can be "botest" and not as "bo test".
- For BSDA account, SMS registration is mandatory.

- The PAN of the first holder of the proposed BSDA account is not existing as the PAN of first holder in another CDSL account with status 'Active/to be closed'.
- If annual report flag is '2' (Electronic) or 3 'Both Physical And Electronic', first holder email id should exists
- If Mental Disability Flag is 'Y', then the Guardian Details will be mandatory.
- If Email Statement Flag is 'Y' and CAS mode is blank, then CAS Mode will be updated to EC (eCAS).
- BO REOUEST RECEIVE DATE- Date (with time) on which request received from BO.
- Mapping of CM Accounts with CM POA Master
 - The purpose code 21 can be repeated for mapping of multiple CM Accounts with CM POA Master, but the line number should be in incremental order.
- The Family Account Flag will be applicable only for BO and not for POA. Default value for the Family Account Flag will be 'N'.
- The Custodian Email ID will be applicable only for BO and not for POA.
- UID will be mandatory only if UID verification flag is present.
- UID verification flag is not applicable for Guardian, Nominee and Nominees guardian.
- BO Account Opening Request received source field is mandatory and should contain value as either:
 - 1 Online Account opening through DP Portal Or
 - 2 Physical Form submitted by BO.
 - Income range slabs are to be updated as per below mentioned details.
 - I Income Range for Individuals -

Code	Description
1	Upto Rs.1 lakhs
6	1,00,001 To 5,00,000
7	5,00,001 To 10,00,000
8	10,00,001 To 25,00,000
9	MORE THAN 25,00,000

II Income Range for Non-Individuals

Code	Description
1	Upto Rs.1 lakhs
6	1,00,001 To 5,00,000
7	5,00,001 To 10,00,000
8	10,00,001 To 25,00,000
10	25,000,01 to 1,00,000,00
11	More than 1,00,000,00

- Communication Preference
 - If communication preference value is selected as "2" (All Holders) then, Email and Mobile no of joint holders will be mandatory.
- PMS manager details are mandatory for PMS client account opening. For PMS manager details, in BO name specify PMS Manager Name and enter SEBI registration number of PMS manager in User Text 2 field. Other Field details not required for PMS manager.

FILE FORMAT: BO MODIFY UPLOAD

File Name : <11><DP ID 6 DIGIT>.<3 to 5 digits running serial number>

 $\textbf{Input Type:} [\textbf{M}] = \mathsf{Mandatory}$

[**O**] = Optional

[**N**] = Non-Modifiable

Header Record: This record will contain following fields:

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
DP ID	NUMBER	6	М
OPERATOR ID	CHAR	6	М
TOTAL NO. OF RECORDS	NUMBER	5	М

Detail Record: Every detail record will contain following lines. If a line contains no data then that line will not be written. Only Line number 01 is mandatory.

First Line

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
01	NUMBER	2	M (Line Number of the record)
BOID	NUMBER	16	М
BO REQUEST RECEIVE DATE	DATE	14	М

Second Line (First Account Holder)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
02	NUMBER	2	M (Line Number of the record)
PRODUCT NUMBER	NUMBER	4	0
			(From product 1 to 3 or vice
			versa)
BO NAME	CHAR	100	0
BO MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	0
BO TITLE	CHAR	10	0
BO SUFFIX	CHAR	10	0
FATHER / HUSBAND NAME	CHAR	50	0
ADDRESS 1	CHAR	55	0
ADDRESS 2	CHAR	55	0
ADDRESS 3	CHAR	55	0
COLINTRY CODE	CHAD	02	0
COUNTRY CODE	CHAR	02	ISO 3166-1 alpha-2 Format
ZIP CODE	CHAR	10	0
			0
			IF COUNTRY CODE IS
STATE CODE	CHAR	06	IN(INDIA) THEN STATE CODE
			IS MANDATORY IN ISO 3166-
			2 FORMAT
STATE	CHAR	25	0
SIAIE	СПАК	25	IF COUNTRY CODE IS

			IN(INDIA) THIS FIELD WILL BE IGNORED ELSE IT IS MANDATORY
CITY	CHAR	25	0
			0
			If country code is IN then
CITY SEQUENCE NO	NUMBER	2	mandatory. Default value
			will be 00
			0
SMART REGISTRATION	CHAR	1	Y – SMART REGISTRATION
	O. W. a. C		N – SMART DEREGISTRATION
DD7144DV 140DV 5			0
PRIMARY MOBILE	NUMBER	6	MANDATORY IF PRIMARY
NUMBER ISD CODE			MOBILE NUMBER PRESENT
			0
PRIMARY MOBILE	CHAR	17	MANDATORY IF PRIMARY
NUMBER	CHAR	17	MOBILE NUMBER ISD CODE
			PRESENT
CECONDADY MODILE /			O MANDATORY IF CECONDARY
SECONDARY MOBILE /	NUMBER	6	MANDATORY IF SECONDARY
TELEPHONE NO ISD CODE			MOBILE / TELEPHONE NUMBER PRESENT
			NUMBER PRESENT
SECONDARY MOBILE /			MANDATORY IF SECONDARY
TELEPHONE NUMBER	CHAR	17	MOBILE / TELEPHONE
TEEL HONE NOT BEIX			NUMBER ISD CODE PRESENT
			0
SECONDARY EMAIL	CHAR	100	ONLY ONE EMAIL ID SHOULD
			BE ENTERED
FAX	CHAR	17	0
INCOME TAX PAN	CHAR	10	0
UID	CHAR	16	0
			0
UID VERIFICATION FLAG	CHAR	1	0 – NOT VERIFIED
			2 – VERIFIED BY DP
			O Mandatory for POA Master
			Creation
			If POA Type Flag is 'C', then
			Purpose Code 21 details will
			be mandatory for CM POA.
POA Type Flag	CHAR	1	If POA Type Flag is 'R', then it
, p	3	_	will be considered as a Regular
			POA
			If POA Type Flag is 'P', then it
			will be considered as a PMS
			POA
			If POA Type Flag is 'D', then it

			will be considered as a DDPI POA
NAME CHANGE REASON			0
CODE	CHAR	2	(Mandatory if BO NAME is
CODE			changed)
IT CIRCLE	CHAR	15	0
PRIMARY E-MAIL	CHAR	100	0
			ONLY ONE EMAIL ID SHOULD
			BE ENTERED
LEGAL ENTITY	CHAR	20	<u>0</u>
<i>IDENTIFIER</i>			
USER TEXT 1	CHAR	<mark>30</mark>	0
USER TEXT 2	CHAR	50	0
USER FIELD 3	NUMBER	4	0
PAN EXEMPTION CODE	CHAR	4	0
			1 st character – 1st Holder PAN
			Exemption Code
			2nd character – 2nd Holder
			PAN Exemption Code
			3 rd character – 3 rd Holder PAN
			Exemption Code
PAN VERIFICATION FLAG	NUMBER	4	0
			1 st character – 1 st Holder PAN
			Verification Code
			2nd character – 2nd Holder
			PAN Verification Code
			3 rd character – 3 rd Holder PAN
			Verification Code
SIGNATURE FILE FLAG	CHAR	1	N (Not Modifiable)
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	Should be blank space

Third Line (Second Account Holder)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
03	NUMBER	2	M (Line Number of the record)
NAME	CHAR	100	0
MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	0
TITLE	CHAR	10	0
SUFFIX	CHAR	10	0
FATHER / HUSBAND	CHAR	50	0
NAME	CHAR	30	
INCOME TAX PAN	CHAR	10	0

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
UID	CHAR	16	0
			0
UID VERIFICATION FLAG	CHAR	1	0 – NOT VERIFIED
			2 – VERIFIED BY DP
NAME CHANGE REASON	CHAD	2	O (Mandatan if BO nama is
CODE	CHAR	2	(Mandatory if BO name is changed)
IT CIRCLE	CHAR	15	O O
	O. II at		0
MOBILE NUMBER ISD	NUMBER	6	MANDATORY IF MOBILE
CODE			NUMBER IS PRESENT
			0
			MANDATORY IF MOBILE
MOBILE NUMBER	CHAR	17	NUMBER ISD CODE IS PRESENT
			Mandatory if communication
			preference is all holders
			0
			ONLY ONE EMAIL ID SHOULD
EMAIL	CHAR	100	BE ENTERED
			Mandatory if communication
ETILED	CHAR	16	preference is all holders
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	Should be blank space

Fourth Line (Third Account Holder)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
04	NUMBER	2	M (Line Number of the record)
NAME	CHAR	100	0
MIDDLE NAME	CHAR	20	0
LAST/ SEARCH NAME	CHAR	20	0
TITLE	CHAR	10	0
SUFFIX	CHAR	10	0
FATHER / HUSBAND	CHAR	50	0
NAME	CHAN	CHAR 50	O
INCOME TAX PAN	CHAR	10	0
UID	CHAR	16	0
			0
UID VERIFICATION FLAG	CHAR 1	1	0 – NOT VERIFIED
			2 – VERIFIED BY DP
NAME CHANGE REASONS		_	0
CODE	CHAR	2	(Mandatory if BO name is changed)
IT CIRCLE	CHAR	15	0

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
MOBILE NUMBER ISD	NUMBER	6	0
CODE	HOLIDER		MANDATORY IF MOBILE NUMBER IS PRESENT
			0
			MANDATORY IF MOBILE NUMBER ISD CODE IS
MOBILE NUMBER	CHAR	17	PRESENT
			Mandatory if communication preference
			<u>is all holders</u>
			0
EMAIL	CHAR	100	ONLY ONE EMAIL ID SHOULD BE ENTERED
LINAL	CHAR	100	Mandatory if communication preference
			<u>is all holders</u>
FILLER	CHAR	16	Should be blank space
FILLER	CHAR	72	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	1	Should be blank space
FILLER	CHAR	10	Should be blank space

Fifth Line (Product details) -

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
05	NUMBER	2	M (LINE NUMBER OF THE RECORD)
DATE OF MATURITY	DATE	8	N (NOT MODIFIABLE)
DP INTERNAL REF NUMBER	CHAR	10	0
DATE OF BIRTH/ORIGIN	DATE		O (MODIFIABLE)
SEX CODE	CHAR	1	O (F EMALE/ M ALE)
OCCUPATION	CHAR	4	0
LIFE STYLE	CHAR	4	N (NOT MODIFIABLE)
GEOGRAPHICAL CODE	CHAR	4	0
EDUCATION/DEGREE	CHAR	4	0
ANNUAL INCOME CODE	NUMBER	4	0
NATIONALITY CODE	CHAR	3	0
LEGAL STATUS CODE	NUMBER	2	N (NOT MODIFIABLE)
BO FEE TYPE	NUMBER	2	N (NOT MODIFIABLE)
LANGUAGE CODE	NUMBER	2	0
CATEGORY 4 CODE	NUMBER	2	N (NOT MODIFIABLE)
BANK OPTION 5	NUMBER	2	N (NOT MODIFIABLE)
STAFF / RELATIVE	CHAR	1	O (STAFF / RELATIVE)
STAFF CODE	CHAR	10	0
NOMINATION OPT- OUT	<u>CHAR</u>	<u> </u>	O / M Y - YES N - NO Mandatory for individual accounts.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
25 BYTE ALPHANUMERIC CODE 1 USER TEXT 1	CHAR	<u>37</u>	N (NOT MODIFIABLE)
BONAFIDE FLAG	CHAR	1	O VALUES CAN BE 'P' OR 'E'
FAMILY ACCOUNT FLAG	CHAR	1	O (Y /N) By default it will be 'N'
Email Statement Flag	Char	1	O (Y/N) By default it will be 'N'
CAS Mode	Char	2	O NO: CAS not required PH: Physical CAS required By default it will be 'PH'
Mental Disability	Char	1	O Y/N If Mental Disability is Y , Guardian details is mandatory By default it will be 'N'
Preferred Depository Flag For CAS	Char	1	C:CDSL- CDSL only can update flag to 'C' only if CAS flag is 'DN' N: NSDL (DP/CDSL can update flag to 'N' only if CAS flag is 'DC') By default it will be NULL(if not indicated by BO)
RGESS FLAG	CHAR	1	0
ANNUAL REPORT FLAG	CHAR	1	0
PLEDGE STANDING INSTRUCTION FLAG	CHAR	1	0
EMAIL RTA DOWNLOAD FLAG	CHAR	1	0
BSDA FLAG	CHAR	1	O Y: BSDA N: Non BSDA O: Opted Out
25 BYTE ALPHANUMERIC CODE 2 USER TEXT 2	CHAR	50	N (NOT MODIFIABLE)
MODE OF OPERATION	NUMBER	4	O Possible values: 1 – Jointly 2 – Anyone or Survivor
NUMERIC 4 (DUMMY) COMMUNICATION PREFERENCE	NUMBER	4	N (NOT MODIFIABLE) O / M Mandatory for a/cs with Joint holders

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			<u>1 – First Holder</u> 2 – All Holders
NUMERIC 4 (DUMMY)	NUMBER	4	N (NOT MODIFIABLE)
SECURITY ACCESS	NUMBER	2	0
CODE	NUMBER	2	0
BO CATEGORY	NUMBER	2	N (NOT MODIFIABLE)
BO SETTLEMENT	CHAR	1	0
PLANNING FLAG	O	_	·
DIVIDEND BANK IFS	CHAR	15	0
CODE RBI REFERENCE			
NUMBER	CHAR	30	0
RBI APPROVAL DATE	DATE	8	0
SEBI REGISTRATION			
NUMBER	CHAR	24	0
BENEFICIARY TAX	NUMBER	2	0
DEDUCTION STATUS	NUMBER	2	0
SMART CARD	CHAR	1	N (NOT MODIEIARI E)
REQUIRED	СПАК	1	N (NOT MODIFIABLE)
SMART CARD NUMBER	CHAR	20	N (NOT MODIFIABLE)
SMART CARD PIN	NUMBER	10	N (NOT MODIFIABLE)
ECS/MANDATE	CHAR	1	O (MODIFIABLE)
ELECTRONIC	CHAR	1	O (Y /N)
CONFIRMATION			
DIVIDEND CURRENCY	NUMBER	6	0
GROUP CODE	CHAR	8	0
BO SUB STATUS	NUMBER	4	0
CLEARING	NUMBER	4	N (NOT MODIFIABLE)
CORPORATION ID	CUAR		, , , , , , , , , , , , , , , , , , ,
CLEARING MEMBER ID	CHAR	8	N (NOT MODIFIABLE)
STOCK EXCHANGE	NUMBER	2	N (NOT MODIFIABLE)
CONFIRMATION WAIVED	CHAR	1	0
TRADING ID	CHAR	8	N (NOT MODIFIABLE)
BO STATEMENT CYCLE	CHAD	2	,
CODE	CHAR	2	0
CUSTODIAN / PMS	CHAR	50	0
EMAIL ID	CIAIX	30	J
DIVIDEND BANK ACCT	CHAR	12	0
TYPE			
DIVIDEND BANK CODE	CHAR	12	0
ACCOUNT NUMBER	CHAR	20	0
ACCOUNT CURRENCY	NUMBER	6	0

Sixth Line (POA Link details): Separate Line to link POA for each holder with Purpose code 0001, 0002 & 0003 or single line to link POA for All holders with purpose code 0004.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
06	NUMBER	2	M (Line Number of the record)
POA Register Number	CHAR	16	N Not Modifiable
SETUP DATE	DATE	8	N Not Modifiable
POA to OPERATE A/C	CHAR	1	O (Y / N)
GPA/BPA FLAG	CHAR	1	O B – Bank Specific G – General purpose S – Settlement P – Margin Pledge M – Mutual Fund
EFFECTIVE FROM DATE	DATE	8	T – Tender Offer O
EFFECTIVE TO DATE	DATE	8	0
USER FIELD 1	NUMBER	4	0
USER FIELD 2	NUMBER	4	0
REMARKS	CHAR	50	0
FILLER 1	CHAR	100	0
FILLER 2	CHAR	20	0
FILLER 3	CHAR	20	0
FILLER 4	CHAR	10	0
FILLER 5	CHAR	10	0
FILLER 6	CHAR	50	0
FILLER 7	CHAR	30	0
FILLER 8	CHAR	30	0
FILLER 9	CHAR	30	0
FILLER 10	CHAR	25	0
FILLER 11	CHAR	25	0
FILLER 12	CHAR	25	0
FILLER 13	CHAR	10	0
FILLER 14	CHAR	1	0
FILLER 15	CHAR	17	0
FILLER 16	CHAR	1	0
FILLER 17	CHAR	17	0
FILLER 18	CHAR	100	0
FILLER 19	CHAR	17	0
FILLER 20	CHAR	25	0
FILLER 21	CHAR	15	0
FILLER 22	CHAR	50	0
16 Digit POA Master ID	CHAR	16	M
User Text 1	CHAR	34	0
FILLER 23	CHAR	50	0
Purpose Code	NUMBER	4	M
ruipose code	INUITIDER	7	M
Transaction Type	CHAR	4	M Transaction Type Identifier S-Setup M-Modify

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			D-delete
FILLER 24	NUMBER	4	0
SIGNATURE FILE FLAG	CHAR	1	N (Not Modifiable)

Seventh Line: For permanent address

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N = 7	NUMBED	2	M (LINE NUMBER OF THE
IN WHERE IN = /	NUMBER	2	RECORD)
DUDDOCE CODE	NUMBED	2	M
PURPOSE CODE	NUMBER	2	PURPOSE CODE = 12
NAME	CHAR	100	N (Not Modifiable)
MIDDLE NAME	CHAR	20	N (Not Modifiable)
LAST / SEARCH NAME	CHAR	20	N (Not Modifiable)
TITLE	CHAR	10	0
SUFFIX	CHAR	10	0
FATHER / HUSBAND	CHAR	50	0
NAME ADDRESS 1	CHAR	55	0
ADDRESS 2	CHAR	55	0
ADDRESS 3	CHAR	55	0
ADDRESS S	CHAR	33	0
COUNTRY CODE	CHAR	02	ISO 3166-1 alpha-2 Format
ZIP CODE	CHAR	10	0
		6	0
	CHAR		IF COUNTRY CODE IS
STATE CODE			IN(INDIA) THEN STATE CODE
			IS MANDATORY IN ISO 3166-2
			FORMAT
STATE	CHAR	25	0
CITY	CHAR	25	0
			0
CITY CEOUENCE NO	NUMBER	2	If country code is IN then
CITY SEQUENCE NO	NUMBER	2	mandatory. Default value
			will be 00
FAX	CHAR	17	0
INCOME TAX PAN	CHAR	25	0
IT CIRCLE	CHAR	15	0
USER TEXT 1	CHAR	50	0
USER TEXT 2	CHAR	50	0
USER FIELD 3	NUMBER	4	0
			0
USER FIELD 4	CHAR	4	Transaction Type Identifier
			S-Setup
			M-Modify
USER FIELD5	NUMBER	4	0

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
FILLER	CHAR	100	0

Eight line onwards lines can be added to enter Additional Name and Address for following purpose codes

- Purpose Code 06 Nominee Name and address
- Purpose Code 07 Guardian Name and address
- Purpose Code 08 Nominee's Guardian Name and address
- Purpose Code 18 Authorized Signatory
- Purpose Code 23 PMS Manager Details (Mandatory for PMS Client account)

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE RECORD)
PURPOSE CODE	NUMBER	2	М
NAME	CHAR	100	0
MIDDLE NAME	CHAR	20	0
LAST / SEARCH NAME	CHAR	20	0
TITLE	CHAR	10	0
SUFFIX	CHAR	10	0
FATHER / HUSBAND NAME	CHAR	50	0
ADDRESS 1	CHAR	55	0
ADDRESS 2	CHAR	55	0
ADDRESS 3	CHAR	55	0
COUNTRY CODE	CHAR	02	O ISO 3166-1 alpha-2 Format
ZIP CODE	CHAR	10	0
STATE CODE	CHAR	6	O IF COUNTRY CODE IS IN(INDIA) THEN STATE CODE IS MANDATORY IN ISO 3166-2 FORMAT
STATE	CHAR	25	0
CITY	CHAR	25	0
CITY SEQUENCE NO	NUMBER	2	If country code is IN then mandatory. Default value will be 00
MOBILE / TELEPHONE ISD CODE	CHAR	6	O MANDATORY IF MOBILE NUMBER IS PRESENT
MOBILE / TELEPHONE NUMBER	CHAR	17	O MANDATORY IF MOBILE

FIELD			
DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			NUMBER ISD CODE IS PRESENT
DATE OF BIRTH	DATE	8	0
FAX	CHAR	17	0
INCOME TAX PAN	CHAR	10	0
UID	CHAR	16	0
UID VERIFICATION FLAG	CHAR	1	O 0 – NOT VERIFIED 2 – VERIFIED BY DP
NAME CHANGE REASON CODE	CHAR	2	O (Mandatory if NAME is changed)
IT CIRCLE	CHAR	15	0
PRIMARY E-MAIL	CHAR	100	0
USER TEXT 1 (AS Remarks)	CHAR	50	O Authorised Signatory Remarks
USER TEXT 2	CHAR	50 12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES	O 12 CHARACTER SEBI REGISTRATION NUMBER OF PMS MANAGER (PURPOSE CODE 23) FOLLOWED BY SPACES
USER FIELD 3	NUMBER	4	0
USER FIELD 4	CHAR	4	M Transaction type identifier S-setup M-modify D-delete
USER FIELD5	NUMBER	4	O For AS Na Seq numb of AS
NOMINEE SERIAL NUMBER	NUMBER	2	M (For Purpose code 6 and 8) Values: 01– First nominee 02 – Second Nominee 03 – Third Nominee O – Other than Purpose code 6 & 8
RELATIONSHIP WITH BO	NUMBER	2	M (For Purpose code 6,7,8) O – other than Purpose code 6,7,8 Values can Be: 01 – Spouse 02 – Son 03 – Daughter

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
			04 – Father 05 – Mother 06 – Brother 07 – Sister 08 – Grand-Son 09 – Grand-Daughter 10 – Grand-Father 11 – Grand-Mother 12 – Not Provided (if the relationship is not provided on nomination form) 13 – Others
PERCENTAGE OF SHARES	NUMBER	(5,2)	M (For Purpose code 6) O – Optional for other than Purpose code 6 with default value "00000" The file should have value like 10000(100%), 09725(97.25%), 05000(50%) etc
RESIDUAL SECURITIES FLAG	CHAR	1	M (For Purpose code 6) Values: Y- Yes N- No Default value is "N" O (For Purpose code 7,8,18- it should be space)
FILLER	CHAR	16	O Should be blank space
FILLER	CHAR	72	O Should be blank space
FILLER	CHAR	1	O Should be blank space
FILLER	CHAR	1	O Should be blank space
FILLER	CHAR	10	O Should be blank space

For Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE RECORD)
PURPOSE CODE 21 Mapping of CM Accounts With CM POA / PMS POA / DDPI Master.	NUMBER	2	М
MAPPING UNMAPPING FLAG	NUMBER	1	1- Mapping 2-Unmapping

			3- Map All CM Accounts
EX ID	NUMBER	2	0
CM ID	CHAR	8	0
CM Account To Be Mapped	CHAR	16	O Mandatory if MAPPING UNMAPPING FLAG is 1 or 2

The following line is added for capturing BO–UCC Linking / Delinking (Unique Client Code) details.

FIELD DESCRIPTION	FIELD TYPE	FIELD SIZE	INPUT TYPE
N WHERE N > 7	NUMBER	2	M (LINE NUMBER OF THE
	- THOI IDEIX		RECORD)
PURPOSE CODE 22			
BO-UCC Linking /	NUMBER	2	М
Delinking Details			
DO LICC Link Add/Dalata			М
BO-UCC Link Add/Delete Flag	CHAR	1	(A-Add and D-Delete. In Both
i lag			cases all details are mandatory)
			M
			1-BO-UCC Linking/ Delinking
			will be done only for the Boid
Consent Flag	NUMBER	2	provided in line 01
			2- BO-UCC Linking/ Delinking
			will be done for all BO accounts
			with same 1 st Holder PAN
Exchange ID	Number	2	М
UCC	CHAR	11	М
(Unique Client Code)	CHAR	11	
Segment Code	CHAR	2	M
(Settlement type code)	CHAR	2	121
CM ID	CHAR	8	M
(Clearing Member Code)		0	121
TM Code	CHAR	8	M
(Trading Member Code)		0	121

NOTES:

- No field separators should be used.
- > Spaces should be used in case if a field does not have a value.
- > All numeric fields should be right justified with zero padding.
- > All alphanumeric fields should be left-justified with padding as spaces.
- > Only the fields to be modified should be entered in the file.
- > The Non-Modifiable fields should be entered as spaces.

- > If any field is to be modified to blank or zeroes, then @ should be entered.
- For e.g. if the BO Title is to be modified to blanks, then @ should be entered 10 times as the length of the field is 10. @@@@@@@@@@@
- ▶ DP is allowed to modify PAN, PAN Exemption Code and PAN Verification Code when PAN verification code is '0'
- > If PAN Exemption Code is 'C', then only DP is allowed to change PAN, PAN Exemption Code and PAN Verification Code.
- > For Permanent address modification User Field 4 is M or blank
- > Purpose code for POA link are -
 - 1. 0001 for First Holder
 - 2. 0002 for Second Holder
 - 3. 0003 for Third Holder
 - 4. 0004 for All Holders only for POA link setup
- > For POA Master ID name and address modify through second line.
- For Mantra accounts, in 06 line for POA link, Effective To Date should be 00000000
- > For deletion of POA Link details Specify holder purpose code and POA Master id only for active POA Link
- For modification of PAN for 2nd or 3rd holder, the PAN Verification Flag to be given in Line "02" (second line).
- Product Details
 - ECS Mandate flag is 'Y' then must specify correct Dividend bank details
- For minor to major bo sub status
 - Specify major BO sub status
 - Specify delete guardian details
- Changes for CAS and Mental Disability Flag
 - If Mental Disability Flag is 'Y', then the Guardian Details will be mandatory
 - For Preferred Depository Flag for CAS, it has the below 2 conditions:
 - C: CDSL- (CDSL only can update flag to 'C' only if CAS flag is 'DN')
 - N: NSDL (DP/CDSL can update flag to 'N' only if CAS flag is 'DC')
 - By default it will be NULL (if not indicated by BO)
- ➤ BO REQUEST RECEIVE DATE- Date (with time) on which request received from BO.
- Mapping of CM Accounts With CM POA Master
 - The purpose code 21 can be repeated for mapping of multiple CM Accounts with CM POA Master, but the line number should be in incremental order.
- The Family Account Flag will be applicable only for BO and not for POA.
- →—The Custodian Email ID will be applicable only for BO and not for POA
- Income range slabs are to be updated as per below mentioned details.
 - I Income Range for Individuals -

Code	<u>Description</u>
1	Upto Rs.1 lakhs
<u>6</u>	1,00,001 To 5,00,000
7	<u>5,00,001 To 10,00,000</u>
<u>8</u>	10,00,001 To 25,00,000
9	MORE THAN 25,00,000

II Income Range for Non-Individuals

Code	<u>Description</u>
1	Upto Rs.1 lakhs
<u>6</u>	1,00,001 To 5,00,000
7	5,00,001 To 10,00,000
<u>8</u>	10,00,001 To 25,00,000
<u>10</u>	25,000,01 to 1,00,000,00
<u>11</u>	More than 1,00,000,00

• Communication Preference

- o If communication preference value is selected as "2" (All Holders) then, Email and Mobile no of joint holders will be mandatory.
- PMS manager details are mandatory for PMS client account opening. For PMS manager details, in BO
 name specify PMS Manager Name and enter SEBI registration number of PMS manager in User Text
 2 field. Other Field details not required for PMS manager details.

DPB9 Annexure-C

Report Documentation

Report ID : DPB9

Report Description : BO DETAILS

Module : BO

File Naming Convention: If BO Id is specified: 08DPB9U.<BO Id>.<Event No>

Else: 08DPB9U. <Event No>

Purpose Code	Description	
0	BO ID	
1	Name, Correspondence Address, PAN details of first / sole Holder and other details applicable for the product & present in line 5 of BO upload	
2	Name, PAN details of second holder	
3	Name, PAN details of third holder	
4	BO level Freeze Details. If multiple BO level freeze requests are present for the account multiple records will appear	
5	POA link details – Multiple lines will be present if the account is linked with more than one POA	
6	Nominee Name and Address details	
7	Guardian Name and Address details	
8	Nominee's Guardian Name and Address details	
12	Permanent address of First / Sole holder	
18	Name of Authorized Signatory for Corporate / HUF accounts. Multiple lines will be present if multiple signatories are present in the account	
19	Signature Setup / Modify	
21	CM POA / PMS POA/ DDPI Account Mapping Details	
22	UCC BO Linking /Delinking Details	
<u>23</u>	PMS Manager details	

The report will contain details of following types of transactions

Code	Description
1	Setup
2	Modify / Freeze SOD Activation / Signature Replace
3	Delete / Closure / Unfreeze / SMS Deregistration for Portfolio Valuation Through EASI / Activation of Closed Accounts
4	POA Expiry /SMS Deregistration / Freeze Expiry / Closure Approval

DPB9 Annexure-C

5	Setup Closure / Blocking SMS Alerts for Portfolio Valuation By DP
6	Closure Approval Days Limit Passed
	Unblocking SMS Deregistration for Portfolio Valuation Through EASI

Transaction Source Can Have Following Values

Code	Description
1	ONLINE THROUGH CDAS
2	UPLOAD THROUGH CDAS
3	EOD / SOD
4	EASI

Header Record: -

Field Description	Field Type	Field Length	Value
IDENTIFIER	CHARACTER	1	Н
DP ID	NUMBER	6	
			I – Incremental
	CHARACTER	1	F – Full
			H – History
			E - Last file of
TYPE OF DOWNLOAD			incremental files
			R – EOD Request
			Report BO Details
			O - Online Report BO
			Details
BUSINESS DATE/HISTORY FROM DATE	DATE	8	DDMMYYYY
		3	For 'I' and 'E' -3 digit
	CHARACTER		sequence number
SEQUENCE NUMBER			For `F' – `EOD'
SEQUENCE NOMBER			For 'H' – 'HST'
			For 'R' – REQ
			For 'O' - ONL
SYSTEM DATE AND TIME/HISTORY TO	CHARACTER	14	DDMMYYYYHH24MISS
DATE			

DPB9 Annexure-C

Purpose Code - 0 BO ID

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
BO ID	CHARACTER	16
BUSINESS DATE OF THE TRANSACTION	DATE	8
SOURCE DP	NUMBER	6
OPERATOR ID	CHARACTER	6
SOURCE OF THE TRANSACTION	NUMBER	2
TRANSACTION SYSTEM DATE	DATE	14

Purpose Code – 1 - BO ID, Name, Address, PAN details of first / sole Holder and other details applicable for the product and present in line 5 of BO upload

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP		
2 – MODIFY	NUMBER	3
3 – CLOSURE/ACTIVATION OF CLOSED ACCOUNT	NOMBER	3
4 – CLOSURE APPROVAL		
5 – SETUP CLOSURE		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10

SMART REGISTRATION FLAG	CHARACTER	1
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
SECONDARY PHONE ISD CODE	CHARACTER	6
SECONDARY PHONE NUMBER	CHARACTER	17
PRIMARY EMAIL	CHARACTER	100
FAX	CHARACTER	17
PAN EXEMPTION CODE	CHARACTER	1
PAN/GIR	CHARACTER	25
PAN – Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
SECONDARY E-MAIL ID	CHARACTER	100
LEI (LEGAL ENTITY IDENTIFIER)	CHARACTER	20
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
BO ACCOUNT STATUS	NUMBER	1
FREEZE SUSPENSION FLAG	NUMBER	1
BO CATEGORY	NUMBER	2
BO CUST TYPE	NUMBER	2
BO SUB STATUS	NUMBER	4
PRODUCT CODE	NUMBER	4
CLEARING CORPORATION ID	NUMBER	4
CLEARING MEMBER ID	CHARACTER	8
STOCK EXCHANGE	NUMBER	2
TRADING ID	CHARACTER	8
BO STATEMENT CYCLE CODE	CHARACTER	2
ACCOUNT CREATION DATE	DATE	8
DP INTERNAL REFERENCE NUMBER	CHARACTER	10
CONFIRMATION WAIVED	CHARACTER	1
DATE OF BIRTH/ORIGIN	DATE	8
BO ACTIVATION DATE	DATE	8
ELECTRONIC CONFIRMATION	CHARACTER	1
ECS / MANDATE	CHARACTER	1
DIVIDEND BANK ACCOUNT NO	CHARACTER	20
DIVIDEND BANK CODE	CHARACTER	12
DIVIDEND IFS CODE	CHARACTER	11

		7
DIVIDEND BANK CURRENCY	NUMBER	6
DIVIDEND ACCOUNT TYPE	NUMBER	2
ANNUAL INCOME CODE	NUMBER	4
BENEFICIARY TAX DEDUCTION STATUS	NUMBER	2
BO SETTLEMENT PLANNING FLAG	CHARACTER	1
EDUCATION/DEGREE	CHARACTER	4
GEOGRAPHICAL CODE	CHARACTER	4
GROUP CODE	CHARACTER	8
LANGUAGE CODE	NUMBER	3
NATIONALITY CODE	CHARACTER	3
OCCUPATION	CHARACTER	4
SECURITY ACCESS CODE	NUMBER	2
SEX CODE	CHARACTER	1
STAFF/RELATIVE	CHARACTER	1
STAFF CODE	CHARACTER	10
RBI REFERENCE NUMBER	CHARACTER	30
RBI APPROVAL DATE	DATE	8
SEBI REGISTRATION NUMBER	CHARACTER	24
CLOSURE APPROVED DATE	DATE	8
CLOSURE DATE	DATE	8
TRANSFER BO ID	CHARACTER	16
BALANCE TRANSFER	CHARACTER	1
CLOSURE REASON CODE	NUMBER	2
CLOSURE INITIATED BY	CHARACTER	1
CLOSURE REMARK	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	25
EMAIL STATEMENT FLAG	CHARACTER	1
CAS MODE	CHARACTER	2
PREFERRED DEPOSITORY FLAG	CHARACTER	1
TRUST REGISTER	CHARACTER	1
RGESS FLAG	CHARACTER	1
ANNUAL REPORT FLAG	CHARACTER	1
PLEDGE STANDING INSTRUCTION FLAG	CHARACTER	1
EMAIL RTA DOWNLOAD	CHARACTER	1
BASIC SERVICES DEMAT A/C	CHARACTER	1

MASTER POA TYPE FLAG	CHARACTER	1
FAMILY ACCOUNT FLAG	CHARACTER	1
CUSTODIAN/PMS EMAIL ID	CHARACTER	100
UID VERIFICATION FLAG	NUMBER	1
MODE OF OPERATION	CHARACTER	4
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
INCOME VERIFICATION FLAG	CHARACTER	1
BO Account Opening Source	CHARACTER	1
BONAFIDE FLAG	CHARACTER	1
NOMINATION OPT-OUT	CHARACTER	<u>_1</u>
NOMINATION OPT-OUT DATE	DATE	<u>8</u>
COMMUNICATION PREFERENCE	NUMBER	<u>_1</u>

Purpose Code – 2, 3 Name, PAN details of second, third holder

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
PAN EXEMPTION CODE	CHARACTER	1
PAN/GIR	CHARACTER	25
PAN — Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE/WARD/DIST /WARD/DISTRICT	CHARACTER	15
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55

CITY	CHARACTER	25
STATE	CHARACTER	25
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
SETUP DATE	DATE	8
DATE OF BIRTH SECOND HOLDER	DATE	8
PRIMARY EMAIL	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	25
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
UID VERIFICATION FLAG	NUMBER	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10
FILLER	CHARACTER	25
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1
<u> </u>		i

Purpose Code – 4 BO level Freeze Details. If multiple BO level freeze requests are present for the account, multiple records will display

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 – SETUP		
2 – FREEZE SOD ACTIVATION	NUMBER	3
3 - UNFREEZE	NOMBER	
4 – FREEZE EXPIRY		
FREEZE ID	NUMBER	8
FREEZE INITIATION DATE	DATE	8

FREEZE ACTIVATION DATE	DATE	8
FREEZE EXPIRY DATE	DATE	8
FREEZE INITIATED BY	NUMBER	1
FROZEN FOR	NUMBER	1
FREEZE REASON CODE	NUMBER	2
FREEZE STATUS	CHARACTER	1
FREEZE ACTIVATION TYPE	NUMBER	1
FREEZE SUB OPTION	NUMBER	1
FREEZE REMARKS	CHARACTER	100

Purpose Code – 5 POA link details – Multiple lines will be present, if the account is linked with more than one POA

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP		
2 – MODIFY	NUMBER	3
3 - DELETE		
4 – EXPIRY		
MASTER POA ID	CHARACTER	16
POA REGISTRAR NUMBER	CHARACTER	16
SETUP DATE	DATE	8
GPA /BPA FLAG		
B – Bank Specific G – General purpose S – Settlement P – Margin Pledge A – Both Settlement & Margin Pledge	CHARACTER	1
EFFECTIVE FORM DATE	DATE	8
EFFECTIVE TO DATE	DATE	8
REMARKS	CHARACTER	50
HOLDER NUMBER	NUMBER	1
POA STATUS	CHARACTER	1

Purpose Code – 6 Nominee Name and Address details

Purpose Code – 7 Guardian Name and Address details

Purpose Code – 8 Nominee's Guardian Name and Address details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2

JPB9		Annexure-C
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY	NOMBER	
3 – DELETE		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
FILLER	CHARACTER	1
FILLER	CHARACTER	17
FILLER	CHARACTER	92
FAX	CHARACTER	17
PAN/GIR	CHARACTER	25
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
PRIMARY E-MAIL ID	CHARACTER	100
DATE OF BIRTH/ORIGIN	DATE	8
NOMINATION DATE	DATE	8
USER TEXT 1	CHARACTER	50
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
FILLER	CHARACTER	50
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHAR	2
	1	

FILLER	CHARACTER	25
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	1
RESIDUAL SECURITIES FLAG	CHARACTER	1
NOMINEE SERIAL NUMBER	NUMBER	2
RELATIONSHIP WITH BO	NUMBER	2
PERCENTAGE OF SHARES	NUMBER	(5,2)
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10

Purpose Code – 12 Permanent address of First / Sole holder

Field Description	Data Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY		
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
ADDRESS VERIFICATION FLAG	CHARACTER	1
FAX	CHARACTER	17

FILLER	CHARACTER	50	
--------	-----------	----	--

Purpose Code – 18 Authorized Signatory for Corporate / HUF accounts/ CM Multiple lines will be present, if Authorized signatories are multiple in the account.

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY	NOMBER	3
3 – DELETE		
NA SEQUENCE NUMBER	NUMBER	4
BO NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2
MOBILE NO ISD CODE	CHARACTER	6
MOBILE NUMBER	CHARACTER	17
EMAIL-ID	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
UID VERIFICATION FLAG	Character	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Purpose Code – 19 Signatures

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 - DELETE		
IMAGE FILE NAME	VARCHAR2	20

SIGNATURE SETUP DATE	DATE	8	
----------------------	------	---	--

Purpose Code - 21 - CM POA / PMS POA/ DDPI Account Mapping details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
MAPPING UNMAPPING FLAG		
(1 - Mapped	NUMBER	1
2 - Unmapped)		
Ex id	NUMBER	2
CM ID	CHARACTER	8
CM Account To Be Mapped	CHARACTER	16

Line no. 21 will be repeated for each CM POA / PMS POA/ DDPI Account Mapping combination

Purpose Code –	22 – BO–UCC	Linking/	Delinking	details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
ADD/DELETE FLAG	CHARACTER	1
LINK STATUS	CHARACTER	1
CONSENT FLAG	NUMBER	2
EXCHANGE ID	NUMBER	2
UCC	CHARACTER	11
SEGMENT CODE	CHARACTER	2
CM ID	CHARACTER	8
TM CODE	CHARACTER	8

Line no. 22 will be repeated for each UCC - CM - TM - EXID - SEGMENT - BOID combination

Purpose Code – 23 PMS Manager Details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	<mark>3</mark>
2 – MODIFY	NOMBER	
3 – DELETE		
NA SEQUENCE NUMBER	NUMBER	4

BO NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2
MOBILE NO ISD CODE	CHARACTER	6
MOBILE NUMBER	CHARACTER	17
EMAIL-ID	CHARACTER	100
SEBI REGISTRATION NUMBER OF PMS MANAGER	CHARACTER	12
FILLER	Character	1
FILLER	CHARACTER	16
FILLER	CHARACTER	<mark>72</mark>
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Summary Record: -

Field Description	Field Type	Field Length	Value
IDENTIFIER	CHARACTER	1	Т
TOTAL NUMBER OF RECORDS	NUMBER	9	
BUSINESS DATE	DATE	8	(8) -DDMMYYYY
SYSTEM DATE AND TIME	CHARACTER	14	DDMMYYYYHH24MISS

Note: - For BO Common Download

- 1) For a BO, Purpose Code 0 and only the changed purpose code lines will be printed. For e.g.
 - a. When BO is setup, all applicable purpose codes will be printed.
 - After activation, Purpose Code 0 and all fields of Purpose Code 1 will be printed (including modified Account Status as well as non-modified fields of Purpose Code 1). (Removed. It will be printed as part of above setup record)
 - c. Subsequently, if nominee is modified, Purpose Code 0 and all fields of Purpose Code 6 will be printed (including modified fields and non-modified fields of nominee).
 - d. If address details of all joint holders are modified, Purpose Codes 0 and all fields of Purpose Code 1, 2 and 3 will be printed. (including modified address fields and non-modified fields of all joint holders)

Note: -

For a BO, LINE Code 0 and only the changed LINE code lines will be printed. For e.g.

- 1) When BO is setup, all applicable Line codes will be printed.
- 2) After activation, Line Code 0 and all fields of Line Code 1 will be printed (including modified Account Status as well as non-modified fields of Line Code 1).
- 3) Subsequently, if nominee is modified, Line Code 0 and all fields of Line Code 6 will be printed (including modified fields and non-modified fields of nominee).
- 4) If address details of any joint holders are modified, Line Codes 0 and all fields of relevant Line (corresponding to the joint holder) Code 1, 2 and 3 will be printed. (including modified address fields and non-modified fields of that joint holder)

FILE NAMING CONVENTIONS:

Report Name	Header Record	Type of Download
08DPB9U. <ddmmyyyy(business Date)>.001</ddmmyyyy(business 	H <dpid(6)>I<ddmmyyyy(business Date)>001<ddmmyyyyhhmiss(generation Date & Time)></ddmmyyyyhhmiss(generation </ddmmyyyy(business </dpid(6)>	I - Incremental
08DPB9U. <ddmmyyyy(business Date)>.002</ddmmyyyy(business 	H <dpid(6)>I<ddmmyyyy(business Date)>002<ddmmyyyyhhmiss(generation Date & Time)></ddmmyyyyhhmiss(generation </ddmmyyyy(business </dpid(6)>	I - Incremental
08DPB9U. <ddmmyyyy(business Date)>.003</ddmmyyyy(business 	H <dpid(6)>E<ddmmyyyy(business Date)>003<ddmmyyyyhhmiss(generation Date & Time)></ddmmyyyyhhmiss(generation </ddmmyyyy(business </dpid(6)>	E - Last file of incremental files
08DPB9U. <ddmmyyyy(business Date)>.EOD</ddmmyyyy(business 	H <dpid(6)>F<ddmmyyyy(business Date)>EOD<ddmmyyyy(business Date)>000000</ddmmyyyy(business </ddmmyyyy(business </dpid(6)>	F – Full
08DPB9U. <ddmmyyyy(business date)="">.HST.<event id=""></event></ddmmyyyy(business>	H <dpid(6)>H<ddmmyyyy(from date)="">HST<ddmmyyyy(to date)="">000000</ddmmyyyy(to></ddmmyyyy(from></dpid(6)>	H – History
08DPB9U. <ddmmyyyy(business date)="">.ONL.<event id=""></event></ddmmyyyy(business>	H <dpid(6)>O<ddmmyyyy(business Date)>ONL<ddmmyyyy(business Date)>000000</ddmmyyyy(business </ddmmyyyy(business </dpid(6)>	O - Online

Report Documentation

Report ID : DPS8 (Format similar to DPB9)

Report Description : BO DETAILS

Module : BO

Purpose	Description
Code	Description
0	BO ID
	Name, Correspondence Address, PAN details of first / sole
1	Holder and other details applicable for the product & present in
	line 5 of BO upload
2	Name, PAN details of second holder
3	Name, PAN details of third holder
4	BO level Freeze Details. If multiple BO level freeze requests are present
	for the account multiple records will appear
5	POA link details – Multiple lines will be present if the account is linked
	with more than one POA
6	Nominee Name and Address details
7	Guardian Name and Address details
8	Nominee's Guardian Name and Address details
12	Permanent address of First / Sole holder
18	Name of Authorized Signatory for Corporate / HUF accounts. Multiple
10	lines will be present if multiple signatories are present in the account
19	Signature Setup / Modify
21	CM POA / PMS POA/ DDPI Account Mapping Details
22	UCC BO LINKING /DELINKING DETAILS
<u>23</u>	PMS Manager Details

Gaps in the purpose code numbering, given above, are deliberate.

Header Record: -

Description	Data Type	Length	Value
IDENTFIER	CHAR	1	Н
DP ID	NUMBER	6	DP ID
FILLER			
BUSINESS DATE/HISTORY FROM DATE	DATE	8	DDMMYYYY
FILLER			
SYSTEM DATE AND TIME/HISTORY TO	CHAR	14	DDMMYYYYHH24MISS
DATE	Civac	1.	DDI 11 11 11 11 11 11 11 11 11 11 11 11 11

Purpose Code - 0 BO ID

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
BO ID	CHARACTER	16
BUSINESS DATE	DATE	8
SOURCE DP	NUMBER	6
FILLER		
FILLER		
FILLER		

Purpose Code – 1 - BO ID, Name, Address, PAN details of first / sole Holder and other details applicable for the product and present in line 5 of BO upload

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55

DF36		Annexu
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
SMART REGISTRATION FLAG	CHARACTER	1
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
SECONDARY PHONE ISD CODE	CHARACTER	6
SECONDARY PHONE NUMBER	CHARACTER	17
PRIMARY EMAIL	CHARACTER	100
FAX	CHARACTER	17
PAN EXEMPTION CODE	CHARACTER	1
PAN/GIR	CHARACTER	25
PAN – Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
SECONDARY E-MAIL ID	CHARACTER	100
LEI (LEGAL ENTITY IDENTIFIER)	CHARACTER	20
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
BO ACCOUNT STATUS	NUMBER	1
FREEZE SUSPENSION FLAG	NUMBER	1
BO CATEGORY	NUMBER	2
BO CUST TYPE	NUMBER	2
BO SUB STATUS	NUMBER	4
PRODUCT CODE	NUMBER	4
CLEARING CORPORATION ID	NUMBER	4
CLEARING MEMBER ID	CHARACTER	8
STOCK EXCHANGE	NUMBER	2
		8
TRADING ID	CHARACTER	"
BO STATEMENT CYCLE CODE	CHARACTER CHARACTER	2

D1 00		Aillicaui
CONFIRMATION WAIVED	CHARACTER	1
DATE OF BIRTH/ORIGIN	DATE	8
BO ACTIVATION DATE	DATE	8
ELECTRONIC CONFIRMATION	CHARACTER	1
ECS / MANDATE	CHARACTER	1
DIVIDEND BANK ACCOUNT NO	CHARACTER	20
DIVIDEND BANK CODE	CHARACTER	12
DIVIDEND IFS CODE	CHARACTER	11
DIVIDEND BANK CURRENCY	NUMBER	6
DIVIDEND ACCOUNT TYPE	NUMBER	2
ANNUAL INCOME CODE	NUMBER	4
BENEFICIARY TAX DEDUCTION STATUS	NUMBER	2
BO SETTLEMENT PLANNING FLAG	CHARACTER	1
EDUCATION/DEGREE	CHARACTER	4
GEOGRAPHICAL CODE	CHARACTER	4
GROUP CODE	CHARACTER	8
LANGUAGE CODE	NUMBER	3
NATIONALITY CODE	CHARACTER	3
OCCUPATION	CHARACTER	4
SECURITY ACCESS CODE	NUMBER	2
SEX CODE	CHARACTER	1
STAFF/RELATIVE	CHARACTER	1
STAFF CODE	CHARACTER	10
RBI REFERENCE NUMBER	CHARACTER	30
RBI APPROVAL DATE	DATE	8
SEBI REGISTRATION NUMBER	CHARACTER	24
CLOSURE APPROVED DATE	DATE	8
CLOSURE DATE	DATE	8
TRANSFER BO ID	CHARACTER	16
BALANCE TRANSFER	CHARACTER	1
CLOSURE REASON CODE	NUMBER	2
CLOSURE INITIATED BY	CHARACTER	1
CLOSURE REMARK	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME MODIFICATION REASON CODE	CHARACTER	25
EMAIL STATEMENT FLAG	CHARACTER	1
L	L	ı

CAS MODE	CHARACTER	2
PREFERRED DEPOSITORY FLAG	CHARACTER	1
TRUST REGISTER	CHARACTER	1
RGESS FLAG	CHARACTER	1
ANNUAL REPORT FLAG	CHARACTER	1
PLEDGE STANDING INSTRUCTION FLAG	CHARACTER	1
EMAIL RTA DOWNLOAD	CHARACTER	1
BASIC SERVICES DEMAT A/C	CHARACTER	1
MASTER POA TYPE FLAG	CHARACTER	1
FAMILY ACCOUNT FLAG	CHARACTER	1
CUSTODIAN/PMS EMAIL ID	CHARACTER	100
UID VERIFICATION FLAG	NUMBER	1
Mode of Operation	CHARACTER	4
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
INCOME VERIFICATION FLAG	CHARACTER	1
BO Account Opening Source (Online / Offline) flag	CHARACTER	1
BONAFIDE FLAG	CHARACTER	1
NOMINATION OPT-OUT	<u>CHARACTER</u>	<u>1</u>
NOMINATION OPT-OUT DATE	DATE	<u>8</u>
COMMUNICATION PREFERENCE	NUMBER	<u></u>

Purpose Code – 2, 3 - Name, PAN details of Second, Third holder

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
PAN EXEMPTION CODE	CHARACTER	1

PAN/GIR	CHARACTER	25
PAN — Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE /WARD/ DIST/WARD/ DISTRICT	CHARACTER	15
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
DATE OF BIRTH/ORIGIN	DATE	8
DATE OF BIRTH OF SECOND / THIRD HOLDER	DATE	8
PRIMARY EMAIL	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	25
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
UID VERIFICATION FLAG	NUMBER	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10
FILLER	CHARACTER	25
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1

Purpose Code – 4 - BO level Freeze Details. If multiple BO level freeze requests are present for the account multiple records will appear

Field Description	Field Type	Field Length
-------------------	------------	--------------

PURPOSE CODE	NUMBER	2
FILLER		
FREEZE ID	NUMBER	8
FREEZE INITIATION DATE	DATE	8
FREEZE ACTIVATION DATE	DATE	8
FREEZE EXPIRY DATE	DATE	8
FREEZE INITIATED BY	NUMBER	1
FROZEN FOR	NUMBER	1
FREEZE REASON CODE	NUMBER	2
FREEZE STATUS	CHARACTER	1
FREEZE ACTIVATION TYPE	NUMBER	1
FREEZE SUB OPTION	NUMBER	1
FREEZE REMARKS	CHARACTER	100

Purpose Code - 5 - POA link details

Multiple lines will be present if the account is linked with more than one POA

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
MASTER POA ID	CHARACTER	16
POA REGISTRAR NUMBER	CHARACTER	16
SETUP DATE	DATE	8
GPA /BPA FLAG	CHARACTER	1
B – Bank Specific G – General purpose S – Settlement P – Margin Pledge A – Both Settlement & Margin Pledge		
EFFECTIVE FORM DATE	DATE	8
EFFECTIVE TO DATE	DATE	8
REMARKS	CHARACTER	50
HOLDER NUMBER	NUMBER	1
POA STATUS	CHARACTER	1

Purpose Code – 6 Nominee Name and Address details

Purpose Code – 7 Guardian Name and Address details

Purpose Code – 8 Nominee's Guardian Name and Address details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
FILLER	CHARACTER	1
FILLER	CHARACTER	17
FILLER	CHARACTER	92
FAX	CHARACTER	17
PAN/GIR	CHARACTER	25
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
PRIMARY E-MAIL ID	CHARACTER	100
DATE OF BIRTH/ORIGIN	DATE	8
NOMINATION DATE	DATE	<u>8</u>
USER TEXT 1	CHARACTER	50
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
FILLER	CHARACTER	50
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	2

FILLER	CHARACTER	25
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1
RESIDUAL SECURITIES FLAG	CHARACTER	1
NOMINEE SERIAL NUMBER	NUMBER	2
RELATIONSHIP WITH BO	NUMBER	2
PERCENTAGE OF SHARES	NUMBER	(5,2)
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10

Purpose Code – 12 Permanent address of First / Sole holder

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
ADDRESS VERIFICATION FLAG	CHARACTER	1
FAX	CHARACTER	17
FILLER	CHARACTER	50

Purpose Code – 18 - Authorized Signatory for Corporate / HUF accounts

Multiple lines will be present, if Authorized signatories are multiple signatories are in the account.

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
NA SEQUENCE NUMBER	NUMBER	4
Authorised Signatory Name	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2
MOBILE NO ISD CODE	CHARACTER	6
MOBILE NUMBER	CHARACTER	17
EMAIL-ID	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
UID VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Purpose Code – 19 - Signature

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
Image File Name	VARCHAR2	20
Signature Setup Date	DATE	8

Purpose Code: 21

CM POA / PMS POA / DDPI Account Mapping details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
MAPPING UNMAPPING		
FLAG	NUMBER	1
(1 - Mapped		

2 - Unmapped)			
Ex id	NUMBER	2	
CM ID	CHARACTER	8	
CM Account To Be Mapped	CHARACTER	16	

Line no. 21 will be repeated for each CM POA / PMS POA / DDPI Account Mapping combination

Purpose Code – 22 – BO–UCC Linking / Delinking details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
FILLER	CHARACTER	1
LINK STATUS	CHARACTER	1
FILLER	NUMBER	2
EXCHANGE ID	NUMBER	2
UCC	CHARACTER	11
SEGMENT CODE	CHARACTER	2
CM ID	CHARACTER	8
TM CODE	CHARACTER	8

Line no. 22 will be repeated for each UCC - CM - TM - SEGMENT - EXID - BOID combination

Purpose Code – 23 PMS Manager Details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY	NOMBER	,
3 – DELETE		
NA SEQUENCE NUMBER	NUMBER	4
BO NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2

MOBILE NO ISD CODE	CHARACTER	<mark>6</mark>
MOBILE NUMBER	CHARACTER	17
EMAIL-ID	CHARACTER	100
SEBI REGISTRATION NUMBER OF PMS MANAGER	CHARACTER	12
FILLER	Character	1
FILLER	CHARACTER	16
FILLER	CHARACTER	<mark>72</mark>
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Summary Record: -

Description	Data Type	Length	Value
IDENTIFIER	CHAR	1	Т
TOTAL NUMBER OF	NUMBER	9	NN
RECORDS	NONDER	,	
BUSINESS DATE	DATE	8	(8) –DDMMYYYY
SYSTEM DATE AND	CHAR	14	DDMMYYYYHH24MISS
TIME	CHAR	17	כנויוד ו וויוויוטט

Report Documentation

Report ID : DPS9

Report Description : BO DETAILS

File Naming Convention: If BO Id is specified: 08DPS9U.<BO Id>.<Event No>

Else: 08DPS9U.<Event No>

Purpose	Doggrintion
Code	Description
0	BO ID
1	Name, Correspondence Address, PAN details of first / sole Holder and
	other details applicable for the product & present in line 5 of BO upload
2	Name, PAN details of second holder
3	Name, PAN details of third holder
4	BO level Freeze Details. If multiple BO level freeze requests are present for the
	account multiple records will appear
5	POA link details – Multiple lines will be present if the account is linked with more
5	than one POA
6	Nominee Name and Address details
7	Guardian Name and Address details
8	Nominee's Guardian Name and Address details
12	Permanent address of First / Sole holder
18	Name of Authorized Signatory for Corporate / HUF accounts. Multiple lines will be
10	present if multiple signatories are present in the account
19	Signature Setup / Modify
21	CM POA / PMS POA / DDPI Account Mapping Details
22	UCC BO LINKING /DELINKING DETAILS
<u>23</u>	PMS Manager details

Gaps in the purpose code numbering, given above, are deliberate.

Header Record: -

Description	Data Type	Length	Value
IDENTFIER	CHARACTER	1	Н

DP ID	NUMBER	6	DP ID
FILLER			
BUSINESS DATE/HISTORY FROM DATE	DATE	8	DDMMYYYY
FILLER			
SYSTEM DATE AND TIME/HISTORY TO	CHARACTER	14	DDMMYYYYHH24MISS
DATE	CHARACTER	17	טטויוויזן די

Purpose Code – 0 BO ID

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
BO ID	CHARACTER	16
BUSINESS DATE	DATE	8
SOURCE DP	NUMBER	6
FILLER		
FILLER		
FILLER		

Purpose Code – 1 (Line 01) BO ID, Name, Address, PAN details of first / sole Holder and other details applicable for the product and present in line 5 of BO upload

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25

COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
SMART REGISTRATION FLAG	CHARACTER	1
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
SECONDARY PHONE ISD CODE	CHARACTER	6
SECONDARY PHONE NUMBER	CHARACTER	17
PRIMARY EMAIL	CHARACTER	100
FAX	CHARACTER	17
PAN EXEMPTION CODE	CHARACTER	1
PAN/GIR	CHARACTER	25
PAN - Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
SECONDARY E-MAIL ID	CHARACTER	100
LEI (LEGAL ENTITY IDENTIFIER)	CHARACTER	20
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
BO ACCOUNT STATUS	NUMBER	1
FREEZE SUSPENSION FLAG	NUMBER	1
BO CATEGORY	NUMBER	2
BO CUST TYPE	NUMBER	2
BO SUB STATUS	NUMBER	4
PRODUCT CODE	NUMBER	4
CLEARING CORPORATION ID	NUMBER	4
CLEARING MEMBER ID	CHARACTER	8
STOCK EXCHANGE	NUMBER	2
TRADING ID	CHARACTER	8
BO STATEMENT CYCLE CODE	CHARACTER	2
ACCOUNT CREATION DATE	DATE	8
DP INTERNAL REFERENCE NUMBER	CHARACTER	10
CONFIRMATION WAIVED	CHARACTER	1
DATE OF BIRTH/ORIGIN	DATE	8
BO ACTIVATION DATE	DATE	8

ELECTRONIC CONFIRMATION	CHARACTER	1
ECS / MANDATE	CHARACTER	1
DIVIDEND BANK ACCOUNT NO	CHARACTER	20
DIVIDEND BANK CODE	CHARACTER	12
DIVIDEND IFS CODE	CHARACTER	11
DIVIDEND BANK CURRENCY	NUMBER	6
DIVIDEND ACCOUNT TYPE	NUMBER	2
ANNUAL INCOME CODE	NUMBER	4
BENEFICIARY TAX DEDUCTION STATUS	NUMBER	2
BO SETTLEMENT PLANNING FLAG	CHARACTER	1
EDUCATION/DEGREE	CHARACTER	4
GEOGRAPHICAL CODE	CHARACTER	4
GROUP CODE	CHARACTER	8
LANGUAGE CODE	NUMBER	3
NATIONALITY CODE	CHARACTER	3
OCCUPATION	CHARACTER	4
SECURITY ACCESS CODE	NUMBER	2
SEX CODE	CHARACTER	1
STAFF/RELATIVE	CHARACTER	1
STAFF CODE	CHARACTER	10
RBI REFERENCE NUMBER	CHARACTER	30
RBI APPROVAL DATE	DATE	8
SEBI REGISTRATION NUMBER	CHARACTER	24
CLOSURE APPROVED DATE	DATE	8
CLOSURE DATE	DATE	8
TRANSFER BO ID	CHARACTER	16
BALANCE TRANSFER	CHARACTER	1
CLOSURE REASON CODE	NUMBER	2
CLOSURE INITIATED BY	CHARACTER	1
CLOSURE REMARK	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	25
EMAIL STATEMENT FLAG	CHARACTER	1
CAS MODE	CHARACTER	2

PREFERRED DEPOSITORY FLAG	CHARACTER	1
TRUST REGISTER	CHARACTER	1
RGESS FLAG	CHARACTER	1
ANNUAL REPORT FLAG	CHARACTER	1
PLEDGE STANDING INSTRUCTION FLAG	CHARACTER	1
EMAIL RTA DOWNLOAD	CHARACTER	1
BASIC SERVICES DEMAT A/C	CHARACTER	1
MASTER POA TYPE FLAG	CHARACTER	1
FAMILY ACCOUNT FLAG	CHARACTER	1
CUSTODIAN/PMS EMAIL ID	CHARACTER	100
UID VERIFICATION FLAG	NUMBER	1
MODE OF OPERATION	CHARACTER	4
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
INCOME VERIFICATION FLAG	CHARACTER	1
BO Account Opening Source	CHARACTER	1
BONAFIDE FLAG	CHARACTER	1
NOMINATION OPT-OUT	<u>CHARACTER</u>	<u>1</u>
NOMINATION OPT-OUT DATE	DATE	<u>8</u>
COMMUNICATION PREFERENCE	NUMBER	1

Purpose Code – 2, 3 Name, PAN details of second, third holder

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50

PAN EXEMPTION CODE	CHARACTER	1
PAN/GIR	CHARACTER	25
PAN — Aadhar link VERIFICATION CODE	CHARACTER	1
IT CIRCLE / WARD/ DISTRICT	CHARACTER	15
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
DATE OF BIRTH/ORIGIN	DATE	8
DATE OF BIRTH SECOND HOLDER	DATE	8
PRIMARY EMAIL	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	25
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
UID VERIFICATION FLAG	NUMBER	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
EMAIL VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10
FILLER	CHARACTER	25
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1

Purpose Code – 4 - BO level Freeze Details. If multiple BO level freeze requests are present for the account multiple records will appear

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
FREEZE ID	NUMBER	8
FREEZE INITIATION DATE	DATE	8
FREEZE ACTIVATION DATE	DATE	8
FREEZE EXPIRY DATE	DATE	8
FREEZE INITIATED BY	NUMBER	1
FROZEN FOR	NUMBER	1
FREEZE REASON CODE	NUMBER	2
FREEZE STATUS	CHARACTER	1
FREEZE ACTIVATION TYPE	NUMBER	1
FREEZE SUB OPTION	NUMBER	1
FREEZE REMARKS	CHARACTER	100

Purpose Code – 5 POA link details – Multiple lines will be present if the account is linked with more than one POA

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
MASTER POA ID	CHARACTER	16
POA REGISTRAR NUMBER	CHARACTER	16
SETUP DATE	DATE	8
GPA /BPA FLAG	CHARACTER	1
B – Bank Specific G – General purpose S – Settlement P – Margin Pledge		
EFFECTIVE FORM DATE	DATE	8
EFFECTIVE TO DATE	DATE	8
REMARKS	CHARACTER	50
HOLDER NUMBER	NUMBER	1

POA STATUS CHARACTER 1	
------------------------	--

Purpose Code – 6 Nominee Name and Address details

Purpose Code - 7 Guardian Name and Address details

Purpose Code – 8 Nominee's Guardian Name and Address details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
TITLE	CHARACTER	10
NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/SEARCH NAME	CHARACTER	20
SUFFIX	CHARACTER	10
FATHER/HUSBAND NAME	CHARACTER	50
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25
STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
PRIMARY PHONE NUMBER ISD CODE	CHARACTER	6
PRIMARY PHONE NUMBER	CHARACTER	17
FILLER	CHARACTER	1
FILLER	CHARACTER	17
FILLER	CHARACTER	92
FAX	CHARACTER	17
PAN/GIR	CHARACTER	25
IT CIRCLE /WARD/DISTRICT	CHARACTER	15
PRIMARY E-MAIL ID	CHARACTER	100
DATE OF BIRTH/ORIGIN	DATE	8

NOMINATION DATE	DATE	<u>8</u>
USER TEXT 1	CHARACTER	50
USER TEXT 2	CHARACTER	50
USER FIELD 3	NUMBER	4
FILLER	CHARACTER	50
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
NAME CHANGE REASON CODE	CHARACTER	2
FILLER	CHARACTER	25
NAME VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	1
RESIDUAL SECURITIES FLAG	CHARACTER	1
NOMINEE SERIAL NUMBER	NUMBER	2
RELATIONSHIP WITH BO	NUMBER	2
PERCENTAGE OF SHARES	NUMBER	(5,2)
FILLER	CHARACTER	16
FILLER	CHARACTER	72
MOBILE VERIFICATION FLAG	CHARACTER	1
ADDRESS VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	10

Purpose Code – 12 Permanent address of First / Sole holder

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
FILLER		
ADDRESS LINE 1	CHARACTER	55
ADDRESS LINE 2	CHARACTER	55
ADDRESS LINE 3	CHARACTER	55
CITY	CHARACTER	25

STATE CODE	CHARACTER	6
STATE	CHARACTER	25
COUNTRY CODE	CHARACTER	2
COUNTRY	CHARACTER	25
PIN CODE	CHARACTER	10
ADDRESS VERIFICATION FLAG	CHARACTER	1
FAX	CHARACTER	17
FILLER	CHARACTER	50

Purpose Code – 18 Authorized Signatory for Corporate / HUF accounts.

Field Description	Field Type	Field Length
PURPOSE CODE	POSE CODE NUMBER 2	2
FILLER		
NA SEQUENCE NUMBER	NUMBER	4
Authorised Signatory Name	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2
MOBILE NO ISD CODE	CHARACTER	6
MOBILE NUMBER	CHARACTER	17
EMAIL ID	CHARACTER	100
UNIQUE IDENTIFICATION NUMBER	CHARACTER	16
UID VERIFICATION FLAG	CHARACTER	1
FILLER	CHARACTER	16
FILLER	CHARACTER	72
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Multiple lines will be present if Authorized signatories are multiple signatories are in the account.

Purpose Code – 19 Signature

Field Description	Field Type	Field Length

PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP		
2 - DELETE	NUMBER	3
IMAGE FILE NAME	VARCHAR2	20
SIGNATURE SETUP DATE	DATE	8

Purpose Code: 21

CM POA / PMS POA / DDPI Account Mapping details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
MAPPING UNMAPPING FLAG		
(1 - Mapped	NUMBER	1
2 - Unmapped)		
Ex id	NUMBER	2
CM ID	CHARACTER	8
CM Account To Be Mapped	CHARACTER	16

Line no. 21 will be repeated for each CM POA / PMS POA / DDPI Account Mapping combination

Purpose Code – 22 – BO–UCC Linking / Delinking details

FIELD DESCRIPTION	FIELD TYPE	FIELD LENGTH
PURPOSE CODE	NUMBER	2
FILLER	CHARACTER	1
LINK STATUS	CHARACTER	1
FILLER	NUMBER	2
EXCHANGE ID	NUMBER	2
UCC	CHARACTER	11
SEGMENT CODE	CHARACTER	2
CM ID	CHARACTER	8
TM CODE	CHARACTER	8

Line no. 22 will be repeated for each UCC - CM - TM - SEGMENT - EXID - BOID combination

Purpose Code – 23 PMS Manager Details

Field Description	Field Type	Field Length
PURPOSE CODE	NUMBER	2
TYPE OF TRANSACTION		
1 - SETUP	NUMBER	3
2 – MODIFY	NUMBER	2
3 – DELETE		
NA SEQUENCE NUMBER	NUMBER	4
BO NAME	CHARACTER	100
MIDDLE NAME	CHARACTER	20
LAST/ SEARCH NAME	CHARACTER	20
REMARKS	CHARACTER	50
NAME CHANGE REASON CODE	CHARACTER	2
MOBILE NO ISD CODE	CHARACTER	6
MOBILE NUMBER	CHARACTER	17
EMAIL-ID	CHARACTER	100
SEBI REGISTRATION NUMBER OF PMS MANAGER	CHARACTER	12
FILLER	Character	1
FILLER	CHARACTER	16
FILLER	CHARACTER	<mark>72</mark>
FILLER	CHARACTER	1
FILLER	CHARACTER	1
FILLER	CHARACTER	10

Summary Record: -

Description	Data Type	Length	Value
IDENTIFIER	CHAR	1	Т
TOTAL NUMBER OF RECORDS	NUMBER	9	~~
BUSINESS DATE	DATE	8	(8) -DDMMYYYY
SYSTEM DATE AND TIME	CHAR	14	DDMMYYYYHH24MISS